

HC6V船用主机型谱 Model list for HC6V main diesel engine for marine

柴油机型号 Model	功率/转速Power/Speed (kW/r/min)		吸气方式Aspiration type	排量 Displacement (L)	净重 Net Weight (kg)	长×宽×高 Length×Width× Height (mm)	飞轮规格 Flywheel size	飞轮壳规格 Flywheel House size	船检认证Ship certification of inspection	性能 Performan ce
	标定点 Prime Power	一小时 Standby Power								
HC6V/150C-15	110/1500	121/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/190C-15	139/1500	153/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/240C-15	176/1500	194/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/270C-15	198/1500	218/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/280C-15	206/1500	227/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/300C-15	220/1500	242/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/350C-15	257/1500	283/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/390C-15	286/1500	315/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/420C-15	309/1500	340/1548	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/150C-18	110/1800	121/1858	增压中冷 Turbocharged inter- cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine

HC6V/190C-18	139/1800	194/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/240C-18	176/1800	218/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/270C-18	198/1800	227/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/280C-18	206/1800	227/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/300C-18	220/1800	242/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/350C-18	257/1800	283/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/390C-18	286/1800	315/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/420C-18	309/1800	340/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine
HC6V/460C-18	338/1800	372/1858	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	主机 Main Engine

HC6V船用辅机型谱 Model list for HC6V auxiliary diesel engine for marine

柴油机型号	功率/转速Power/Speed (kW/r/min)	吸气方式Aspiration type	排量 Displacemen	净重 Net	长×宽×高 Length×Width×	飞轮规格 Flywheel	飞轮壳规格 Flywheel	船检认证Ship certification	性能 Performan
-------	--------------------------------	------------------------	-------------------	-----------	------------------------	------------------	-------------------	---------------------------	-----------------

本田机型 Model	标定点 Prime Power	一小时 Standby Power		t (L)	Weight (kg)	Height (mm)	size	House size	of inspection	ce
HC6V/300D-15	220/1500	242/1500	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/350D-15	257/1500	283/1500	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/390D-15	286/1500	315/1500	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/420D-15	309/1500	340/1500	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/449D-15	330/1500	363/1500	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/300D-18	220/1800	242/1800	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/350D-18	257/1800	283/1800	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/390D-18	286/1800	315/1800	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/420D-18	309/1800	340/1800	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC6V/460D-18	338/1800	372/1800	增压中冷 Turbocharged inter-cooled	11.91	1100	1484×1050×1468	14"	SAE1	ZY、CCS	辅机 Auxiliary

HC8V船用主机型谱 Model list for HC8V main diesel engine for marine

柴油机型号 Model	功率/转速Power/Speed (kW/r/min)		吸气方式Aspiration type	排量 Displacement (L)	净重 Net Weight (kg)	长×宽×高 Length×Width× Height (mm)	飞轮规格 Flywheel size	飞轮壳规格 Flywheel House size	船检认证Ship certification of inspection	性能 Performan ce
	标定点 Prime Power	一小时 Standby Power								
HC8V/150C-15	110/1500	121/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/190C-15	139/1500	153/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/240C-15	176/1500	194/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/270C-15	198/1500	218/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/280C-15	206/1500	227/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/300C-15	220/1500	242/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/350C-15	257/1500	283/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/380C-15	279/1500	307/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/460C-15	338/1500	372/1548	增压中冷 Turbocharged inter- cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine

HC8V/500C-15	368/1500	405/1548	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/520C-15	382/1500	420/1548	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/560C-15	412/1500	453/1548	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/150C-18	110/1800	121/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/190C-18	139/1800	194/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/240C-18	176/1800	218/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/270C-18	198/1800	227/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/280C-18	206/1800	227/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/300C-18	220/1800	242/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/350C-18	257/1800	283/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/380C-18	279/1800	315/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/460C-18	338/1800	372/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine

HC8V/500C-18	368/1800	405/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/520C-18	382/1800	420/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/570C-18	419/1800	461/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine
HC8V/619C-18	455/1800	500/1858	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	主机 Main Engine

HC8V船用辅机型谱 Model list for HC8V auxiliary diesel engine for marine

柴油机型号 Model	功率/转速Power/Speed (kW/r/min)		吸气方式Aspiration type	排量 Displacement (L)	净重 Net Weight (kg)	长×宽×高 Length×Width×Height (mm)	飞轮规格 Flywheel size	飞轮壳规格 Flywheel House size	船检认证Ship certification of inspection	性能 Performance
	标定点 Prime Power	一小时 Standby Power								
HC8V/300D-15	220/1500	242/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/350D-15	257/1500	283/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/380D-15	279/1500	307/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/460D-15	338/1500	372/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary

HC8V/500D-15	368/1500	405/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/520D-15	382/1500	420/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/560D-15	412/1500	453/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/600D-15	441/1500	485/1500	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/300D-18	220/1800	242/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/350D-18	257/1800	283/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/380D-18	279/1800	315/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/460D-18	338/1800	372/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/500D-18	368/1800	405/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/520D-18	382/1800	420/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/570D-18	419/1800	461/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary
HC8V/619D-18	455/1800	500/1800	增压中冷 Turbocharged inter-cooled	15.88	1300	1727×1119×1204	14"	SAE1	ZY、CCS	辅机 Auxiliary

HC12V船用主机/辅机型谱 Model list for HC12V main/auxiliary diesel engine for marine

柴油机型号 Model	功率/转速Power/Speed (kW/r/min)		吸气方式Aspiration type	排量 Displacement (L)	净重 Net Weight (kg)	长×宽×高 Length×Width× Height (mm)	飞轮规格 Flywheel size	飞轮壳规格 Flywheel House size	船检认证Ship certification of inspection	性能 Performance
	标定点 Prime Power	一小时 Standby Power								
★HC12V/952C-18	700/1800	770/1858	增压中冷 Turbocharged inter-cooled	23.812	1600	1763×920×1174	14"	SAE1	ZY、CCS	主机 Main Engine
★HC12V/900D-15	662/1500	728/1500	增压中冷 Turbocharged inter-cooled	23.812	1600	1763×920×1174	14"	SAE1	ZY、CCS	辅机 Auxiliary